

Receiving Report

Date:

Batch No:

Supplier:

Dart P/O:

Packing Slip:

Yes

No

Release Note Attached:

Yes

No

N/A

Invoice:

Yes

No
C5

Waybill Attached:

Yes

~~No~~
 No

N/A

Receipt:

Cast

Cr

QC6 Inspection

[Handwritten signature]

N/A

Work Order

N/A

Discrepancies

Discrepancies						
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin:

Date _____

Received/Costing

Initial

Location

Purchase Order Receipt Listing

Thursday, April 26, 2012 2:44:12 PM

All amounts are calculated in domestic currency.

Item Category: All Line Item Types
 Reporting Dates from 4/26/2012 to 4/26/2012

All Vendors PO ID PO16732 Receipt Dates from 4/26/20
All Item ID/GL/WOS All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Qty	Book Amt
Vendor ID/Vendor Name		VC-MET001	Metaux Castle								
PO16732	1		M304B0.250x0.500 f		4/27/2012	4/26/2012	496.6700	\$2.45	0.0000	0	\$1,217.77
CAD	No		304 BAR .250 x .500 f		496.6700	DES102		\$1,217.77	0.0000	0	
			121547								
								Total Received Quantity:			496.6700
								Total Qty to Inspect (PO U/M):			0.0000
								Total Reject Quantity:			0.0000
								Total Receipt Value:			\$1,217.79
								Total Balance Due Quantity:			0.0000



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:1285558

Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
25-APR-2012	ORIGIN	Prepaid	MANITOULIN	1285558-2

Shipment Details	Final Destination Branch - MON
------------------	--------------------------------

Order No	Line No	Item No	Description				
2140137	1	4969	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276				
Purchase Order No	Part Number		Ordered Qty	Invoice Qty			
16732			500.00 FT	496.67 FT			
Details							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
117559124	VALBRUNA CORPORATION	425245		40	1	149	211.08

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

108131
LW3

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine production

Avviso di Spedizione: D-VII1036790
Lieferanmeldung/Packing List/B.L.

Ordine nr: 29954 108131 CASTLE
Bestell/Your order/Commande

Tipo di Elaborazione: E-AOD
Erschmelzungsart/Making process/Mode d'elaboration

Certificato nr: MEST131291/2011/
Prüfung/Test/Essai

Conferma ordine nr: E111003300
Werkz/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werkstachverständigen
(Inspector's stamp/Pointon de l'assesseur)

Stato di fornitura: Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Specifiche:
Anforderungen / Requirements / Exigences
3304-34 1 304 A
ASTM A276 2010 S30400 A

AMS-QQ-S-763 B 304 A
ASTM A479 2010A S30400 A

ASME SA479 2010 S30400 A (0)

(0) SEC.II PT.A 2010 EDITION

Qualità: T-304L #4969
Werkstoff/Grade/Numéro

Marca: AISI

Punzonatura: 304
Kernzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Objetto Gegenstand Product description Descrip. du produit	Dimensioni - in Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolérance	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0030	Flat	0,5000 x 0,2500	484 T5	148 / 150	425245		1.940	108305340

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf Lieferbereitem produkt test a l'état de fourniture Prueba sobre el material así como entregado										
TEST	Provetta/Probestab Speimen/Eprouvette Larg. diam. Ø ext. Größe Diam. Øaß Widh Diam. Thickness Larg. diam. épais mm	°F	Posti. Saggio Probenlage Lage 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Zugdehnung Elongation Allongement E 4d %	Strizione Bruchdehnung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Requisit values Valeurs éliminées		min max		30	-	75 115	- 40	- 50	-	-
A	12X6,3	68 L		41		86	57	69		177

TEST		min	max	
A	Grain size for ASTM E112			5

1) L=longitudinale/Längs, T=transversale/quer, Q=Tangenziale/tangential

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Heat Schmelze/Coûlée	min - max 0,080	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100	-	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %					
425245	0,016	0,44	1,69	18,18	0,36	0,44	8,00	0,027	0,024	0,097					

Annealing temperature: 1940°F for 0.5 h/water.
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind in R. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spezialanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimeslange fait: r.e.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check: satisfactory
Contrôle visuel et dimension: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 30/11/11 VCC008 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 1
--	---	-----------------

Castle Metals FP

HEAT NUMBER 425245
MECHANICAL ID _____
ITEM CODE 4969
LOT NUMBER _____
PO NUMBER 108131
RECEIPT DATE 6-12-12
SUPPLIER VAIBRUNA
SPECIFICATION _____
LCS AD
COMMENT _____
APPROVED BL



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO16732**

Purchase Order Date 4/17/12

PO Print Date 4/17/12

Page Number 1 of 1

Order From :

VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD


FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250x0.500	304 BAR .250 x .500	4/27/12 Yes	500.00 f	Yours ppd	\$2.4300	\$1,215.00

996.67

Special Inst:

AISI 304/316 SS BAR OR AISI 304/316 SS
PLATE
PER ASTM A276 OR ASTM A240
NOTE:(303 NOT ACCEPTABLE)

PO Total:

\$1,215.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr:

1

Change Date: 4/17/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable